



B56

COMPACT BRAZED HEAT EXCHANGER

Experience the true original: the B-type

The B56 is specially adapted to offer efficient heat transfer in heating and industrial applications. The product is frequently used in district heating, and also in oil coolers and is adapted to operate efficiently in a selected capacity interval.


Easy to choose the right product solution

With SWEP's unique SSP CBE, the SWEP Software Package, you can do advanced heat transfer calculations yourself, and choose the product solution that suits your application best. It's also easy to choose connections and generate drawings of the complete product. If you would like advice, or you would like to discuss different product solutions, SWEP offers all the service and support your need.

THIRD-PARTY APPROVALS (selection)


Europe, Pressure Equipment Directive (PED 97/23/EC)

For additional information please contact your local SWEP representative. SWEP reserves the right to make changes without prior notice.



Measurements(mm)	Tolerance
A	+2 /-2
B	+1 /-1
C	+1 /-1
D	+1 /-1
E	+0 /-0
F	+0.5% /-1.5%
G	+1 /-1
R	


Port size F/P: 70mm



CBE port denomination

STANDARD CONNECTIONS

For specific dimensions, or information about other types of connections, please contact your SWEP sales representative.



TECHNICAL DATA

Max working pressure at 155°C

Inner circuit: 31 bar (450psi)

Max working pressure at 225°C

Outer circuit: 31 bar (450psi)

Test pressure:

Inner circuit: 27 bar (392psi)

Min temperature:

Outer circuit: 27 bar (392psi)

Max temperature:

50 bar (725psi)

Max number of plates (NoP)

-196°C (-321F)

CBE weight

225°C (437F)

Hold-up volume: inner circuit

250

Hold-up volume: outer circuit

16.269+NoPx0.419kg

Plate material:

(35.9+NoPx0.9lbs)

(NoP/2-1)x0.21 litres

((NoP/2-1)x0.007 ft3.)

(NoP/2)x0.297 litres

((NoP/2)x0.01 ft3.)

Parts in contact with fluid:

AISI 316

Parts not in contact with fluid:

AISI 304


Pure Copper

AISI 316

Brazing material:

Standard connection material

CAPACITY GRAPH



MATERIAL DISCLAIMER

The information and recommendations in regards to the products are presented in good faith, however, SWEP makes no representations or warranties as to the completeness or accuracy of the information. Information is supplied upon the condition that the purchasers will make their own determination as to the products' suitability for their purposes prior to use. Purchasers should note that the properties of the products are both application and material selection dependent and that products containing stainless steel, both 316 and 304 families, are still subject to corrosion if used in unsuitable environments. Purchasers should also be advised that stainless steel from the 304 family can be more sensitive in regards to corrosion than stainless steel from the 316 family. By purchasing products displayed here upon SWEP disclaims all responsibility due to corrosion of the products and/or other materials attached to the products and also for any damages resulting from the use of the products.



SWEP INTERNATIONAL AB

Box 105, SE-261 22 Landskrona, Sweden
 Phone +46 418 40 04 00
 Fax +46 418 292 95
 Internet: www.swep.net
 E-mail: info@swep.net